

# It's the MelaWood® Guide.

Design, manufacture, craft and care









PG Bison produces MelaWood® in accordance with:


SANS 50312: 2015 (EN 312: 2010) (P2)

for BisonBord® substrate; and SANS 540-1: 2009 and

EN 622-5: 2009

for SupaWood® substrate; and

EN 14322 : 2017 (Table 1)



Generic names: melamine faced board • MFB • low pressure board

MelaWood® is PG Bison's leading brand of melamine faced board. Our range of trend setting designs and finishes are globally inspired and carefully selected to meet your needs, right here at home.

It is made by bonding melamineimpregnated décor paper to both surfaces of our top-quality board using heat and pressure. This one-shot process creates a closed, durable, scratch and moisture resistant surface that is easy to clean.

MelaWood®'s exposed edges must be properly edged using a suitable glue and edging material to give the board the best possible protection in areas where there is a chance of it being exposed to moisture.

MelaWood® is locally manufactured by PG Bison, so you can work in confidence knowing product is readily available and technical backup is just a call away.

Ideal for medium duty vertical and light horizontal applications, such as freestanding and builtin cupboards, door and drawer frontals, carcasses and shelving, wall cladding and interior building elements, MelaWood® is perfect for kitchens, offices and shops.



**New Anti-Bacterial Additive** Of course, PG Bison MelaWood® always looks great and its 100% closed melamine-resin surface already provides an excellent impervious barrier. But PG Bison now gives you a deeper level of protection. Because now, a special anti-bacterial additive is blended into our locally manufactured melamine resin, destroying bacteria, that may come to rest on the surface of the MelaWood®, within hours. This additional built-in protective layer makes MelaWood® Anti-Bacterial the perfect solution for hygienesensitive, high-traffic areas where cleanliness alone is insufficient, such as healthcare facilities, office spaces, schools, restaurants, retail and even at home.

### MelaWood® on BisonBord®

MelaWood® sold in pack sizes only

| Thickness | Pack size | Sheet sizes and tonnage | Availability |
|-----------|-----------|-------------------------|--------------|
|           |           | 2750mm x 1840mm         |              |
| 12mm      | 40        | 1.84 tons               | MTO          |
| 16mm      | 30        | 1.71 tons               | MTS          |
| 18mm      | 30        | 1.93 tons               | MTO          |

## MelaWood® on SupaWood®

MelaWood® sold in pack sizes only

| Thickness | Pack size | Sheet sizes and tonnage | Availability |  |
|-----------|-----------|-------------------------|--------------|--|
|           |           | 2750mm x 1840mm         |              |  |
| 12mm      | 40        | 2.04 tons               | MTO          |  |
| 16mm      | 30        | 2.08 tons               | MTO          |  |
| 18mm      | 30        | 2.29 tons               | MTO          |  |
| 22mm      | 25        | 2.22 tons               | MTO          |  |
| 30mm      | 15        | 1.84 tons               | MTO          |  |

MTO Make To Order; Subject to quoted lead time and / or minimum order quantity

MTS Make To Stock

# Range Samples







As products, tools, machine technologies, processes and value add activities continuously develop, please always refer back to our website for changes and updated product guidelines at:

Subject to our standard terms and conditions of sale, PG Bison warrants only the performance properties of our products as set out in our technical data sheets. Please run detailed trials and tests to verify how your established procedure is affected before using any product contained herein in normal production.

### **DISCLAIMER**

Please Note: The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which PG Bison assumes responsibility, legal or otherwise. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. No warranty of fitness for a particular purpose is made. Nothing herein is to be taken as permission, inducement or recommendation to practice any patented invention without a licence.

Whilst every care is taken to ensure the colour samples you see here are as close as possible to the real thing, please be aware there may still be slight differences between the colour in the brochure and the actual product due to the brochure production process. Before making your final decision, please be sure that you're 100% happy with the colour and finish you have chosen by asking to see a larger piece of the actual product. PG Bison cannot be held responsible for any difference in the colours represented here to that of the actual product.

NAIROBI - +254 722 763947 MOMBASA - +254 717 545114







