




Rekord 12




LEVELLERS



SYMBOLS AND FINISHES LEGEND

SYMBOLS



= SHELF SAFELY LOCKED DURING
TRANSPORTATION AND AT HOME.



= ANTI-TURNOVER LOCKING SYSTEM



= NORMS / PATENTS



= PHILLIPS / POZIDRIV



= WITH BUFFER



= PART NO.



= BLADE SLOT



= WITH MAGNET



= PCS. PER PACKAGE



= COMBI SLOT



= HEXAGONAL SOCKET



= NEWTON



= CAPACITY LOADING



= HEXALOBULAR SOCKET



= FRICTION



= WOOD / GLASS
THICKNESS



= COUNTERSUNK HEAD



= AUTOMATIC



= HOLE DIAMETER



= PAN HEAD



= DROP DOWN



= DIAMETER



= FLANGE HEAD



= LENGTH



= FLAT HEAD



= STANDARD HINGE



= HEIGHT



= TRILOBULAR SCREW



= KIMANA HINGE



= RIGHT VERSION



= SELF-TAPPING SCREW



= FLAP HINGE



= LEFT VERSION



= EURO THREAD



= WITH SPRING



= SETTING CODE



= METRIC THREAD



= WITHOUT SPRING



= PCS. PER PAD



= PRE-INSERTED SCREW



= REVERSED SPRING



= CUT ON REQUEST



= PRE-INSERTED SCREW
AND SPREADING BUSH



= SELF ADHESIVE



= WITH FLANGE

NOTE: Printing errors and omissions may exist despite our best efforts to ensure accuracy. We reserve the right to alter specifications without notice.

MATERIALS



= Zinc Alloy



= Steel



= High Speed Steel



= Brass



= Acrylonitrile Butadiene Styrene



= Nickel-plated Zinc Alloy



= Zinc-plated Steel



= Aluminium



= Wood



= Ethylene Vinyl Acetate



= **ENGINEERING PLASTIC**

+ = other engineering plastic available on request



= **SOFT RUBBER**

+ = other soft rubber available on request



= Natural Engineering Plastic



= Clear Engineering Plastic



= Natural Soft Rubber



= White Engineering Plastic



= Grey Engineering Plastic



= White Soft Rubber



= Water Green Engineering Plastic



= Black Soft Rubber



FINISHES



+ = OTHER FINISHES AVAILABLE ON REQUEST

PART NO.	FINISHES	PART NO.	FINISHES	PART NO.	FINISHES
00	Insignificant finish	IF	Middle Grey	UT	T-Met 9007
AA	Natural	IJ	Light Grey	UZ	T-Met
AB	White	IL	Grey 20	WA	Bronzed
AE	White 9010	IN	Grey met. 26	WI	Burnished
EA	Black	JB	Bright Aluminium	XD	Satin-finished Steel
EC	Matt Black	JC	Aluminium - Chrome	YA	Nickel-plated
EE	Anthracite	JD	Matt Aluminium	YB	Bright Nickel-plated
EW	Grey 9007	JE	Satin-finished Aluminium	YC	Matt Nickel-plated
FU	Gunmetal	JF	Aluminium - Brass	YD	Satin-finished Nickel-plated
FV	Gunmetal V52	JG	Aluminium 5	YQ	Black Nickel
GR	Raw	JL	Aluminium PE 11	Z9	Black Zinc
HA	Brass-Plated	JM	Aluminium RAL 9006	ZA	Zinc alloy
HH	Tropicalized	KA	Chrome	ZN	Zinc-plated
HL	Raw Brass	KB	Bright Chrome	ZQ	Bright Gold
HX	Graphite	KC	Matt Chrome	ZY	Titanium
IA	Grey	NN	Metallic Beige	ZZ	Clear
IB	Metallic Grey	RO	Red		



REKORD 12

REKORD 12 is a concealed leveller to be fixed in the side panels with 18mm minimum thickness. It is suitable to align heavy duty wardrobes, bookcases and modular furniture, as well as for flat-pack furniture.

REKORD 12 is placed into the bottom edge of the side panel and it is then adjustable through a Ø8 mm spot drilled in the inside carcass, by using a S4 mm allen wrench. The engineering plastic glide is independent in order to make the adjustment easier and to prevent the scratching of the floor.

It is available in four versions: with hole centres 52, 70, 96 and 120 mm.


All versions of REKORD 12 grant a capacity loading of 150 Kg each and 12mm adjustment.

The weight transmission ratio of the gears, that is 1:1.5, reduces the lifting effort sensibly.


150 Kg per piece





Tested in accordance with CATAS procedures





INSTALLATION









ADJUSTMENT



REKORD 12 H 52 mm



DRILL BIT FOR REKORD 12 H 52 mm







LEVELLERS





REKORD 12

ITALIANA[®]
ferramenta



REKORD 12 H 70 mm







DRILL BIT FOR REKORD 12 H 70 mm



REKORD 12 H 96 mm



DRILL BIT FOR REKORD 12 H 96 mm







LEVELLERS



REKORD 12




ITALIANA
ferramenta

REKORD 12 H 120 mm







DRILL BIT FOR REKORD 12 H 120 mm








REKORD 12 ACCESSORY



PLINTH CLIP FOR REKORD 12

- For details refer to section "CONNECTINGS: PLINTH CLIP"






LEVELLERS

REKORD 12



ITALIANA
ferramenta

DRILLING JIG REKORD 12





18 - 30 mm




GENERAL SPECIFICATIONS



APPLICATION OPTIONS



DRILLING SPACERS FOR OTHER PANEL THICKNESSES




REKORD 12 DRILLING JIG FOR PANEL THICKNESS 18 mm



AL	ST	EP	= on request
Y0JG0120RO			

NOTE: The product code includes all the components shown in the picture.

REKORD 12 DRILLING JIG ACCESSORIES




AL	 = on request		
 123			
Y0JG0511GR	1		
Y0JG0512GR	1,5		

DRILLING JIG DEPTH STOP COLLARS




ST	 = on request		
 123			
Y0JG051700		Ø8	
Y0JG051900		Ø12	

DRILL BIT



HSS	 = on request		
 			
Y0JG052800	Ø8	117	Ø8
Y0JG054700	Ø12	205	Ø10

NOTE: For drilling jig we recommend to use precision-ground steel drill bit HSS-G.



www.italianaferramenta.com